

INTRODUCTION

This map is a product of the Belle Fourche River Watershed Groundwater Study performed by RESPEC, and is part of a series of 1:180,000-scale structure contour and depth-to maps for the study. The study area consists of Butte, Meade, and Lawrence counties located in the Black Hills of South Dakota. The study focused on four major aguifers including the Invan Kara, Minnelusa, Madison, and Deadwood. The purpose of this map is to show the depth to top of the Deadwood Formation within the study area.

DATA

The outcrops and structural features shown on the map are from Martin and others (2004), with modifications to the structural features from Lisenbee (1985). The data points used to generate this map were compiled from the interpretations of drillers' logs of numerous monitoring, water, and oil and gas test holes. The primary drill-hole data sources used in this study are digital databases generated by state government programs: (1) the well completion report database created by the Water Rights Program, South Dakota Department of Environment and Natural Resources, (2) the lithologic logs database created by the South Dakota Geological Survey Program, and (3) the oil and gas database created by the Minerals and Mining Program, South Dakota Department of Environment and Natural Resources (see REFERENCES). The locations of wells and drill holes are typically recorded based on legal location, thus the plotted latitude and longitude of these points is only approximate. The ground-surface elevation was also determined in ArcGIS from 30 m DEMs.

Depth to formation maps were generated using Spatial Analyst in ArcGIS. Structure contour maps generated as part of this project were interpolated into grids using the "topo to raster" tool to generate elevation surfaces for each formation. Then depth was calculated by subtracting the elevation of the formation from the surface elevation.

Depth approximations are more accurate near the outcrop and well control data. Depths are approximate and could vary by 100 feet or more.


The gradient color interval on this 1:180,000-scale map is 250 feet. A consistent color gradient is used on all maps in this series. Both the database and the depth grid are available digitally.

REFERENCES

- Carter, J.M., and Redden, J.A., 1999a. Altitude of the top of the Inyan Kara Group in the Black Hills area, South Dakota: U.S. Geological Survey Hydrologic Investigations Atlas HA-744-A, 2 sheets, scale 1:100,000.
- ——1999b. Altitude of the top of the Minnelusa Formation in the Black Hills area, South Dakota: U.S. Geological Survey Hydrologic Investigations Atlas HA-744-C, 2 sheets, scale 1:100,000.
- ——1999c. Altitude of the top of the Madison Limestone in the Black Hills area, South Dakota: U.S. Geological Survey Hydrologic Investigations Atlas HA-744-D, 2 sheets, scale 1:100.000.
- ———1999d. Altitude of the top of the Deadwood Formation in the Black Hills area, South Dakota: U.S. Geological Survey Hydrologic Investigations Atlas HA-744-E, 2 sheets, scale 1:100.000.
- Water Rights Program, South Dakota Department of Environment and Natural Resources, 2011. Internal databases (containing information on the statewide network of observation wells, water rights permits, and well completion reports). Data provided by Ken Buhler (SD DENR) and http://denr.sd.gov/des/wr/dblogsearch.aspx.
- Geological Survey Program, 2012. Lithologic logs database: South Dakota Department of Environment and Natural Resources, http://www.sddenr.net/lithdb/ [accessed 2010-2012].
- Getty, M.G., 1989. Hydrogeology and Geothermal water utilization for the City of Belle Fourche, South Dakota. Unpublished MS Thesis, South Dakota School of Mines & Technology, Rapid City, SD.
- Gries, J.P., 1981. Elevation of Top of Inyan Kara Group. South Dakota Department of Environment and Natural Resources, http://www.sdgs.usd.edu/SDOIL/oilgas results.html. ——1981a. Elevation on Top of Winnipeg-Deadwood Unit. South Dakota Department of Environment and Natural Resources, http://www.sdgs.usd.edu/SDOIL/oilgas results.html.
- ——1981b. Elevation of Top of Madison Formation. South Dakota Department of Environment and Natural Resources, http://www.sdgs.usd.edu/SDOIL/oilgas results.html. ———1981c. Elevation of Top of Minnelusa - Big Snowy Unit. South Dakota Department of Environment and Natural
- Resources, http://www.sdqs.usd.edu/SDOIL/oilqas results.html. Lisenbee, A.L., 1985. Tectonic Map of the Black Hills Uplift, Montana, Wyoming, and South Dakota. Geological Survey of Wyoming Map Series 13, scale 1:250,000.
- Martin, J.E., Sawyer, J.F., Fahrenbach, M.D., Tomhave, D.W., and Schulz, L.D., 2004, Geologic map of South Dakota: South Dakota Geological Survey General Map 10, scale 1:500,000. McCormick, K.A., 2010. Elevation Contour Map of the
- Precambrian Surface of South Dakota. South Dakota Geological Survey. Available online at http://www.sdgs.usd.edu/publications/index.html. Minerals and Mining Program, Oil and Gas Section, 2012. Oil
- and gas database: South Dakota Department of Environment and Natural Resources, http://www.sddenr.net/oil_gas/ [accessed 2010-2012]. Okunishi, T., 1999. Geology of the southern part of the Jolly
- Quadrangle, Northern Black Hills, South Dakota. Unpublished MS Thesis, South Dakota School of Mines & Technology, Rapid City, SD. Peter, K.D., Kyllonen, D.P., and Mills, K.R., 1987. Geologic
- Structure and Altitude of the top of the Minnelusa Formation. northern Black Hills, SD & WY. U.S. Geological Survey, WRI Report 85-4053. Wyoming Oil and Gas Conservation Commission, 2012. Oil and
- Gas Database, http://wogcc.state.wy.us/ [accessed 2011-2012].

ACKNOWLEDGMENTS

The author thanks the Belle Fourche River Watershed Partnership for the opportunity to work on this project. This project was funded by a South Dakota Department of Agriculture Division of Resource Conservation and Forestry grant, Butte Conservation District, Butte County Commissioners, Meade County Commissioners, and the City of Spearfish. Thanks also to Matt Stoltenberg and Jared Oswald (RESPEC) for their support of this project. Ken Buhler (Water Rights Program, Department of Environment and Natural Resources) for access to the Water Rights database, and Alvis Lisenbee (South Dakota School of Mines & Technology) for review and discussion.



Depth to Top of the Deadwood Formation Butte, Meade, and Lawrence Counties, South Dakota

By Crystal M. Hocking, P.G. 2013



PENNINGTON



2,251 - 2,500	4,501 - 4,750	6,751 - 7,000
2,501 - 2,750	4,751 - 5,000	7,001 - 7,250
2,751 - 3,000	5,001 - 5,250	7,251 - 7,500
3,001 - 3,250	5,251 - 5,500	7,501 - 7,750
3,251 - 3,500	5,501 - 5,750	7,751 - 8,000
3,501 - 3,750	5,751 - 6,000	8,001 - 8,250
3,751 - 4,000	6,001 - 6,250	8,251 - 8,500
4,001 - 4,250	6,251 - 6,500	



source data used in its preparation. This map is date specific. As additional data become available, geologic interpretations may be revised and the map may be updated. This map should not be enlarged or otherwise used in an attempt to interpret more detail than can be seen at the 1:180,000 scale.